

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/672,367	09/28/2000	Francis X. McKeen	042390.P9578	7649
7590 04/06/2004			EXAMINER	
Blakely Sokoloff Taylor & Zafman 12400 Wilshire Blvd 7th Floor Los Angeles, CA 90025-1026			HO, THOMAS M	
			ART UNIT	PAPER NUMBER
			2134	4
			DATE MAILED: 04/06/2004	,

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)				
	09/672,367	MCKEEN ET AL.				
Office Action Summary	Examiner	Art Unit				
	Thomas M Ho	2134				
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply						
A SHORTENED STATUTORY PERIOD FO THE MAILING DATE OF THIS COMMUNIC - Extensions of time may be available under the provisions of after SIX (6) MONTHS from the mailing date of this commul. - If the period for reply specified above is less than thirty (30) - If NO period for reply is specified above, the maximum statu - Failure to reply within the set or extended period for reply w Any reply received by the Office later than three months afte earned patent term adjustment. See 37 CFR 1.704(b).	CATION. 137 CFR 1.136(a). In no event, however, may a nication. days, a reply within the statutory minimum of thi utory period will apply and will expire SIX (6) MO ill, by statute, cause the application to become A	reply be timely filed irty (30) days will be considered timely. NTHS from the mailing date of this communication. BANDONED (35 U.S.C. § 133).				
Status						
1) Responsive to communication(s) filed	on 28 September 2000.					
·— ·	o)⊠ This action is non-final.					
•						
closed in accordance with the practice	closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.					
Disposition of Claims						
4) ☐ Claim(s) 1-22 is/are pending in the ap 4a) Of the above claim(s) is/are 5) ☐ Claim(s) is/are allowed. 6) ☐ Claim(s) 1-22 is/are rejected. 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) are subject to restriction	e withdrawn from consideration.					
Application Papers						
9) The specification is objected to by the Examiner.						
)☐ The drawing(s) filed on is/are: a)☐ accepted or b)☐ objected to by the Examiner.					
	Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).					
	Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d). The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.					
	by the Examiner. Note the didding	of Chief Action of John 176 162.				
Priority under 35 U.S.C. § 119						
12) Acknowledgment is made of a claim for a) All b) Some * c) None of: 1. Certified copies of the priority d 2. Certified copies of the priority d 3. Copies of the certified copies of application from the Internation * See the attached detailed Office action	locuments have been received. locuments have been received in a f the priority documents have been al Bureau (PCT Rule 17.2(a)).	Application No n received in this National Stage				
Attachment(s)						
Notice of References Cited (PTO-892) Notice of Draftsperson's Patent Drawing Review (PT)		Summary (PTO-413) (s)/Mail Date				
Notice of Draitsperson's Patent Drawing Review (F1 Information Disclosure Statement(s) (PTO-1449 or Paper No(s)/Mail Date	- · · · · · · · · · · · · · · · · · · ·	Informal Patent Application (PTO-152)				

Art Unit: 2134

DETAILED ACTION

1. Claims 1-22 are pending.

Double Patenting

The nonstatutory double patenting rejection is based on a judicially created doctrine grounded in public policy (a policy reflected in the statute) so as to prevent the unjustified or improper timewise extension of the "right to exclude" granted by a patent and to prevent possible harassment by multiple assignees. See *In re Goodman*, 11 F.3d 1046, 29 USPQ2d 2010 (Fed. Cir. 1993); *In re Longi*, 759 F.2d 887, 225 USPQ 645 (Fed. Cir. 1985); *In re Van Ornum*, 686 F.2d 937, 214 USPQ 761 (CCPA 1982); *In re Vogel*, 422 F.2d 438, 164 USPQ 619 (CCPA 1970); and, *In re Thorington*, 418 F.2d 528, 163 USPQ 644 (CCPA 1969).

A timely filed terminal disclaimer in compliance with 37 CFR 1.321(c) may be used to overcome an actual or provisional rejection based on a nonstatutory double patenting ground provided the conflicting application or patent is shown to be commonly owned with this application. See 37 CFR 1.130(b).

Effective January 1, 1994, a registered attorney or agent of record may sign a terminal disclaimer. A terminal disclaimer signed by the assignee must fully comply with 37 CFR 3.73(b).

Claims 1,12 are rejected under the judicially created doctrine of obviousness-type double patenting as being unpatentable over claims 1,7, 12, 18, 23, 29, 34, 40 of U.S. Patent No. 6,633,963. Although the conflicting claims are not identical, they are not patentably distinct from each other because the only difference between the claims is the output device of claim 1.

Art Unit: 2134

It would have been obvious to one of ordinary skill in the art at the time of invention to connect an output device to the processor and memory apparatus of US Patent No. 6,633,963.

Page 3

Claim Rejections - 35 USC § 102

- 2. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:
 - (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- 3. Claims 1-17 are rejected under 35 USC 102(b) as being anticipated by Pai et al., US Patent 5,935,247.

In reference to claim 1:

Pai et al. discloses a platform comprising:

- A processor executing in one of a normal execution mode and an isolated execution mode, where the processor executes the software for displaying critical data, but is isolated from the actual data both physically and logically. (Column 3, lines 10-40)
- A system memory including an isolated area, an isolated output area, and a non-isolated area, where the system memory contains the genetic code, is isolated from access by the processor, and the output area is the monitor, as is isolated from both processor and software access. (Column 2, lines 57-60)

Art Unit: 2134

• An output device, where the output device may either be the video card or the monitor

display. (Column 3, line 62- Column 4, line 1)

In reference to claim 2:

Pai et al. (Column 3, line 62- Column 4, line 1) discloses the platform of claim 1 wherein the

output device is a graphics card, where the data is first given to the video card, which outputs the

data to the monitor.

In reference to claim 3:

The platform of claim 2 further comprising:

Pai et al. Figure 3 discloses a memory control hub (MCH) coupled between the system memory,

and the processor and the graphics card, the memory control hub to permit the graphics card to

access the isolated output area only when the graphics card is in isolated access mode, where the

memory control hub is the Input synchronization mode registers and the switches, which controls

and regulates the access to the isolated output area, the link between the memory and the control

hub, and permits the graphics card to access that area only when the graphics card is in isolated

mode. (Column 5, lines 20-50)

In reference to claim 4:

Pai et al. discloses the platform of claim 3 wherein the graphics card comprises:

(Column 4, lines 44-48) & (Column 5, lines 45-50) A direct memory access (DMA) controller

and wherein local storage of the data from the isolated output area is not permitted, where the

Art Unit: 2134

access of that stored data containing the genetic code is not permitted, and the DMA controller is

understood to be there in order to be able to access the memory(display buffer) and its video card

memory.

In reference to claim 5:

Pai et al. (Column 5, lines 5-50) discloses the platform of claim 3 wherein only the graphics card

is permitted to read the isolated output area, where the graphics card reads the isolated output

area by having the output area send the genetic code to the display buffer.

In reference to claim 6:

The platform of claim 1 further comprising:

Pai et al. (Column 4, lines 49-57) An operating system (O/S) nub having a driver to write display

data into the isolated output area when the processor is executing in isolated execution mode,

where the driver writes the display data into the isolated output area, the monitor.

In reference to claim 7:

Pai et al. (Figure 2) The platform of claim 3 further comprising:

A link between the graphics card and the MCH having an isolated transaction type, where the

MCH is the Input mode synchronization registers and the hardware switches for controlling the

isolated transactions, and the transactions it performs are isolated transactions. (Column 4, line

49 – Column 50, line 50)

Art Unit: 2134

In reference to claim 8:

(Column 4, lines 49-57) The platform of claim3 wherein the MCH only permits the O/S nub to write the isolated output area, where the OS nub which writes to the isolated output area is the software controlling the writing, or the video driver.

Page 6

In reference to claim 9:

Pai et al. (Figure 3) The platform of claim 7 wherein the link is a secure accelerated graphics port bus, where the bus is the data line, inherently present connecting the video card with the MCH, where the line is secure since neither the processor nor the software can access the data, and where the bus is an accelerated graphics port since all video cards are graphics acceleration devices.

In reference to claim 10:

Pai et al. (Column 5, lines 40-50) discloses the platform of claim 2 wherein the graphics card comprises:

An isolated bit, where the isolated bit plane is the video buffer under the isolated execution mode where the video buffer inherently constitutes a plane of bits.

A non-isolated bit plane, where the non-isolated bit plane is the video buffer under the normal execution mode.

In reference to claim 11:

Art Unit: 2134

Pai et al. (Column 5, lines 40-50) discloses the platform of claim 10 wherein the graphics card

denies all external access to the isolated bit plane, where all access to isolated bit plane is

prevented.

Claim 12 is rejected for the same reasons as claim 1.

Claim 13 is rejected for the same reasons as claim 1.

In reference to claim 14:

Pai et al. (Figure 1) (Column 4, line 49 - Column 5, line 50) discloses the method of claim 13

further comprising:

(Column 5, lines 2-35) Issuing an isolated direct memory access (DMA) request for display data

in the isolated output area from a graphics card, where the isolated memory is isolated in that it

cannot be read by any other devices and the display data is located in the display buffer of the

video card, and the isolated DMA request for display data from the graphics card is read until it

is fully output to the monitor.

Refreshing the display based on the display data, where the display buffer is the memory that is

used to refresh monitor displays.

In reference to claim 15:

Pai et al. (Column 4, line 49 - Column 5, line 50) discloses the method of claim 13 wherein

preventing comprises:

· Application/Control Number: 09/672,367 Page 8

Art Unit: 2134

Identifying if an isolated attribute is present in a request for access to the isolated output
area, where the isolated attribute is any one of the starting mechanisms that initiates the
GDP, the value of the synchronization mode logic, or the value of the enable signal of the
data switch device.

Denying the request if no isolated attribute is present(Column 5, lines 19-31), where the
data is never transferred if the display mode synchronization logic or the EN signal isn't
set.

In reference to claim 16:

Pai et al. (Column 5, lines 40-50) discloses the method of claim 13 further comprising:

Loading data from the isolated output area into a bit plane on a graphics card, where the
bit plane is the display buffer, and the isolated output area can be the genetic code
memory. (Figure 1)

 Denying all external access to the bit plane, where the access to the graphics buffer is denied to other components.

In reference to claim 17:

Pai et al. (Figure 1) discloses the method of claim 16 further comprising:

Defining a first window for display of an image corresponding to the bit plane, where the
image displayed is displayed in a first window corresponding to the bit plane or the video
buffer.

Application/Control Number: 09/672,367 Page 9

Art Unit: 2134

 Occluding all windows but the first window, where all other windows in the display of figure 1 are occluded except the first window.

Claim Rejections - 35 USC § 103

- 4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 5. Claims 18-22 are rejected under 35 U.S.C. 103(a) as being unpatentable over Pai et al.

In reference to claim 18:

Pai et al. (Figure 1) discloses the method of claim 13 further comprising:

- Retrieving data from the isolated output area, where the data is retrieved from the genetic code memory.
- Displaying an image corresponding to the data, where the image is displayed on a monitor.
- Pai et al. fails to explicitly disclose
- Occluding the image prior to a platform transitioning out of isolated execution mode.

Art Unit: 2134

It would have been obvious to one of ordinary skill in the art the occlude the image prior to transitioning out of isolated execution mode, in order to preserve the security of the information being displayed.

In reference to claim 19:

Pai et al. discloses a platform comprising:

- A processor executing in one of a normal execution mode and an isolated execution mode; (Column 3, lines 10-40) & (Column 2, lines 57-60)
- A direct memory access (DMA) controller to issue requests for access to an isolated output area; (Column 4, lines 44-48) & (Column 5, lines 45-50)
- A first interface coupled to the DMA controller to forward requests to a memory control hub (MCH); (Column 5, lines 20-50)

Pai et al. fails to disclose a second interface coupled to the DMA controller to supply output data to an output device.

The examiner takes official notice that second interfaces coupled to a DMA controller to supply output data to additional output devices was well known at the time of invention.

Examples include computers that have both a video card, and a sound card, or computers with more than one video card.

It would have been obvious to one of ordinary skill in the art at the time of invention to disclose a second interface coupled to the DMA controller to supply output data to an output device, in order to allow more than one output.

Art Unit: 2134

In reference to claim 20:

Pai et al. discloses all of claim 20 except an interface using an AGP slot.

The examiner takes official notice that AGP interfaces were well known to those of ordinary skill in the art at the time of invention. In fact, AGP slots were and still are the prevalent graphics interface port in computers.

It would have been obvious to one of ordinary skill in the art at the time of invention to use an interface that was a secure AGP slot for the video card to be attached to, because they are the most widely used video card interface today, and would consequently be compatible with the video cards produced by other vendors in industry.

In reference to claim 21:

Pai et al. (Column 4, line 49 – Column 5, line 50) discloses the apparatus of claim 19 wherein the DMA controller attaches an isolated attribute to any isolated output area access request, where the memory request is made with the initialization of the GDP, the activation of switches, and is dependent on the current enable value of display mode synchronization logic signal.

In reference to claim 22:

Pai et al. fails to disclose the apparatus of claim 19 wherein the second interface is an audio interface.

The examiner takes official notice that audio interfaces were well known to those of ordinary skill in the art at the time of invention.

Application/Control Number: 09/672,367 Page 12

Art Unit: 2134

It would have been obvious to one of ordinary skill in the art at to time of invention to have an audio interface coupled to the DMA controller to supply output data to an output device, to allow audio data to be output, as opposed to simply video.

Conclusion

- 6. The following prior art is made of record, but not relied upon.
 - Distributed Systems, Concepts and Designs, Coulouris et al., 1994, 2nd Edition, pgs 422-424 discloses a system of locks between distributed systems. These system of locks are well known in the art, and are sometimes called Mutex to denote of lock of mutual exclusion. When a processor has a lock engaged, both its memory and the processor may be locked or isolated. This is particularly relevant in the field of distributed systems, but is also well known in operating systems between concurrent processes or threads.

7. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Thomas M Ho whose telephone number is (703)305-8029. The examiner can normally be reached on M-F from 8:30am – 5:00pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Gregory A. Morse can be reached at (703)308-4789. The fax phone numbers for the organization where this application or proceeding is assigned are (703)746-7239 for regular communications and (703)746-7238 for After Final communications.

Art Unit: 2134

Page 13

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703)306-5484.

TMH

March 31st 2003

GREGORY MORSE
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2100